

*Smart Portability & Best Quality Image
For Limitless Performance*

Exprimer



DRTECH

Headquarter : 2F/ 6F SPG Dream, Jeongjail-ro 166, Bundang-gu, Seongnam-si, Gyeonggi-do, Republic of Korea



Factory : 29, Dunchon-dearo 541 beon-gil, Jungwon-gu, Seongnam-si, Gyeonggi-do, Republic of Korea

TEL. +82-31-779-7400 / Fax.+82-31-779-7790

Copyright 2016 DRTECH Corp. All rights reserved.

DRT-CAT-024(Rev.02)

DRTECH



Exprimer

Smart portability & best quality image for limitless performance

Exprimer, DRTECH's innovative digital x-ray solution combined advanced 'Information Technology' with the latest digital detector technology. With its versatility, Exprimer provides ultimate image quality and can be applied in multiple environments for various applications.

EVS 3643 & EVS 2430W, Exprimer's two portable models provide limitless portability with reliable operation.

Upgrade Now! Experience unbeatable performance of Exprimer and increase your productivity and diagnostic confidence!

- ① EVS 3643 ② EVS 2430W ③ EVS 2430 ④ EVS 4343
- ⑤ Protection Suit ⑥ Battery Charger ⑦ PCP (Portable Console PC)

Benefit from Excellent Quality

with directly deposited CsI

X-ray Imaging with Exprimer

dispersion compared to conventional CsI and GOS scintillator. High quality images are not a result of any one feature such




Exprimer, the innovative digital x-ray solutions suit multiple diagnostic environments with Better DQE performance different needs

- Excellent image quality using direct deposited CsI. Ultimate sharpness image by TRUVIEW® ART in higher spatial frequencies · Instant

upgrade to digital mobile X-ray system Exprimer with its well oriented direct deposition columnar


- Patient dose reduction with reliable Lossless AED structure CsI + TFT has high DQE performance providing outstanding high quality images. It also demonstrates
- High resistance to impact and vibration comparably excellent DQE* performance in high spatial · Low price fixed grid (120 lines / inch) frequency range.

Intensified image sharpness



Directly deposited CsI can provide clearer images at lowest

as smallest pixel size or low electronic noise, but achieved when all components of the detector are optimized to operate in harmony with each corresponding specification.



'Lossless AED' promising 'Dose Reduction' & TRUVIEW® ART promising sharper and more accurate images with '30% higher MTF'



- Light weight and durable design for portable applications

Faster image display with high speed operating scheme


Fast image preview and display time of Exprimer products allow for more effective and efficient operation leading to increased productivity. Image preview in both wired and wireless modes are achieved less than 2 seconds and a full image is acquired in 4.5 and 6 seconds respectively.

Best image processing solution for fine tuned quality images ECONSULE1 & TRUVIEW® ART

ECONSULE1 (UI Software) and TRUVIEW®ART (image sharpening algorithm) provides a perfect solution to increase diagnostic productivity and accuracy. With easy to use convenient user interface design and powerful image processing engine. ECONSULE1 & TRUVIEW®ART enables more accurate diagnosis with high quality and highly defined images.

*DQE measurement condition: RQA-5 (Typical 2.6 uGy)

Faster image display with high speed operating scheme



*Best image processing solution for fine tuned quality images
ECONSOLE1 & TRUVIEW® ART*



3

Lossless AED

Conventional AED function consists of three steps: X-ray sensing, panel reset, and charge integration. Integration time is delayed as extra time is required for panel reset which occurs after the panel senses the incoming x-ray signal. The loss is inevitable even when separate sensor modules within the detector system are used. When acquiring images of thick objects, the loss rate can increase even further. Lossless AED innovatively improved the reliability of sensitivity through operating scheme optimization.



Conventional AED sensing: 3 steps required
1. X-ray sensing 2. Panel reset 3. Charge integration

Lossless AED sensing: 1 step required
Simultaneous X-ray sensing & Charge integration


4

Benefits of Lossless AED

- Patient dose reduction with more reliable x-ray sensing and integration
- Increased AED sensitivity
- Stable and highly accurate x-ray sensing
- Reliable operation without interruption by external shock or vibration
- Long lasting battery with low power consuming operating system
- Easy switch from sleep mode to acquisition mode with 'Smart Mode Changes'


Lossless AED Power Management with 'SMART MODE CHANGES'

Lossless AED Mode, Innovatively Improving Battery Performance



Power Charging System

EVS 3643 and EVS 2430W are embedded with industry's first wireless charging system to enable seamless 24 hour wireless operation for perfect portability. WPCS technology incorporates RX and TX power transmission technology to enable fast and effective wireless charging without the need for a battery change to provide ultimate convenience to its users.



Benefits of WPCS

- Available in two forms for integration in every diagnostic environment
- Type : Bucky installation or Cradle
- Safer diagnostic environment with removal of hazardous wires and cables
- No need for battery change
- Fast and reliable battery charging
- Less product corrosion due to battery removal
- Longer battery life

The Ultimate Versatility of Exprimer Mobile Detectors

WPCS Application

- General Radiography
- X-ray Mobile System
- Examination Bus & Outdoor
- WPCS Cradle

EVS 3643 **EVS 2430W**



⓪ EVS 4343

- Robust and safety design against shock and drop
- High definition images by direct deposition CsI
- Fast image acquisition time less than 2 sec.
- Highly reliable and stable genrad.



Slim Cassette Wired **EVS 4343**

General Radiography
Portable Radiography



⓪ EVS 3643

- Ultimate portability
- WPCS support (wireless battery charging)
- Light weight 2.98 kg and robust design
- Water proof function for increased reliability [IPX4]



Slim Cassette Wireless **EVS 3643**

General Radiography
Portable Radiography
Mobile Radiography
Vet. Portable
Security / NDT

5 6 7 8



⓪ EVS 2430W

- High definition imaging with smallest 76um pixel
- Ultimate portability
- WPCS Power System (Wireless Charging)
- Smart information by OLED display
- Light weight 1.9 kg (w. battery) and fancy design
- Various applications available
(Genrad, Mobile, Neonatal/Pediatric, Equine, Vet. Portable, NDT, etc)



Slim Wireless **EVS 2430W**

General Radiography
Mobile Radiography
Neonatal / Pediatric
Portable Radiography
Equine
Vet. Portable / Vet System
Security / NDT



⓪ EVS 2430

- High definition imaging with smallest 76um pixel
- High definition images by direct deposition CsI
- Highly reliable and stable genrad.
- Fast image acquisition
- Embedded x-ray trigger interface
- Designed to withstand shock and drop



Slim Wired **EVS 2430**

Dental Cephalo. System
Podiatric System
Mini U-arm System
Vet System

Innovative Technologies for Limitless Portability

Slim Dual Battery Charger

Simultaneous charging to two batteries is possible with the dual battery charger. With its horizontal and vertical insertion design, this charger supports both EVS 3643 and EVS 2430W batteries. With 12V, charging on-the-go is possible as it connects with the cigar outlet of any car. The charger comes standard with EVS 3643 and EVS 2430W detectors.



horizontal
Supported




Protection Suits

Available in three different designs to match varying user requirements and to protect your Exprimer detector in style from various environmental hazards. With an ergonomic design, you can achieve optimum usability in any x-ray environments. Combined with a tablet mounter, you can heighten your productivity with one compact package in any portable situations.

PCP (Portable Console PC)

Instant digital upgrade is possible when PCP is combined with EVS 3643 or EVS 2430W. Eliminate the need for additional control box between the detector and the PC, and acquire digital images instantly with DRTECH's PCP. Inside AP maximizes the portability of Exprimer's portable detectors by allowing direct communication with tablet PCs and smart phones for image viewing on mobile devices. With a PCP and wireless communications, high definition images can be acquired anywhere and anytime allowing for unlimited outdoor and mobile imaging.



EVS 3643 with Water Proof [IPX4]


EVS 3643 has the water resistance [IPX4] feature which provides protection against blood, sudden rain or other contaminants which can affect the detector performance in mobile applications. EVS 3643 delivers reliable performance in any environments and unexpected situations providing perfect portable solution for x-ray diagnostic imaging.

TRUVIEW[®]ART



ADVANCED IMAGE RECONSTRUCTION TECHNOLOGY

Image sharpness of an object in a conventional image is reduced due to light dispersion. TRUVIEW[®]ART, unique reverse filtering technology using mathematical analysis, reconstructs and improves image sharpness to increase the possibility of detecting abnormalities.



technology in conjunction with EVS detector's characteristics of direct deposition CsI and low noise electronic design. With this, the image quality of EVS detectors is significantly sharper than conventional indirect type detectors.

ECONSOLE1
X-ray Acquisition Software

ECali1
Image Calibration Software

TRUVIEW[®] ART
Advanced Reconstruction



ECONSOLE1


Image Processing Engine

TRUVIEW® ART, DRTECH's proprietary algorithm feature of ECONSOLE1, reengineered the performance of Exprimer detectors. The MTF of Exprimer is improved by 30% by TRUVIEW® ART's Image reconstruction

ETune1
Parameter Tuning Software

MTF Enhancement Effects of TRUVIEW® ART

This advanced image reconstruction technology increases MTF by 30%. Thanks to this solution, the image sharpness level is further enhanced by 30% increasing the MTF level of Exprimer detectors to the highest level. Adaptive noise reduction to minimize image signal loss.




Excellent Post-Processing Image

User Experience

Image Parameter

Tablet, Smart



Quality of Exprimer Gadox models match up to that of conventional

Image detail enhancement by multi-frequency image processing.

Design

Smart workflow minimizing the need for page switch and mouse click. Editable tool bar and dual monitor support. Easy to use stitching (up to 5 images).

Tuning Wizard

User can select from 9 image styles processed using different parameters on a 3x3 matrix display.

Phone Supports

Supports viewing of crystal clear digital images on display devices with WiFi communication such as Smart Phones and Tablets.

Specifications



EVS 4343



EVS 3643

Model	EVS 4343 (Wired)	EVS 3643 (Wireless)
Detector Type	Direct deposition CsI or Gadox	Direct deposition CsI or Gadox
Weight	4.5 kg	2.98 kg
Active Area	430 X 430 mm	358 X 430 mm
Pixel Pitch	140 μ m	140 μ m
Resolution	3,072 X 3,072	2,560 X 3,072
A/D Conversion	14 bit	14 bit
Input Voltage	DC 12V, 5A	DC 12V, 5A
Communication	Giga Ethernet	Giga Ethernet / IEEE 802.11n (5 GHz)
X-ray I/F	Lossless AED / Sync Trigger	Lossless AED / Sync Trigger



EVS 2430W



EVS 2430

Model	EVS 2430W (Wireless)	EVS 2430 (Wired)
Detector Type	Direct deposition CsI or Gadox	Direct deposition CsI or Gadox
Weight	1.9 kg	1.9 kg
Active Area	233.47 x 291.84 mm	233.47 x 291.84 mm
Pixel Pitch	76 μ m	76 μ m
Resolution	3,072 X 3,840	3,072 X 3,840
A/D Conversion	16 bit	16 bit
Input Voltage	DC 12V, 5A	DC 12V, 5A
Communication	Giga Ethernet / IEEE 802.11n (5 GHz)	Giga Ethernet
X-ray I/F	Lossless AED	Lossless AED/ Sync Trigger

DRTECH America Service Center (DASC)
10148 International Blvd, West Chester, OH 45246-4846
Tel. +1-513-817-5028
E-mail: yjwon@drtech.co.kr

DRTECH R&D Office of America (DROA)
640W. California Avenue, Sunny Vale, California, 94086
United states of America

DRTECH Europe Office
Buyukdere Caddesi, Nevtron is Hani
NO. 119/6-34349 Esentepe / ISTANBUL, TURKEY
TEL.+90-532-716-7815
E-mail: btahtakaya@drtech.co.kr

DRTECH Shanghai (DS)
NO.908,9F, NO.3998 Hongxin Road, Minhang District Shanghai, China
E-mail: hsjeon@drtech.co.kr